



LevelOne IP Camera

Wired/Wireless Network Camera

Quick Installation Guide

English	Ελληνικά
Deutsch	Svenska
Français	Slovenščina
Español	한국어
Nederlands	繁體 m fi
Italiano	简体 m fi
Português	Русский
Dansk	

This guide covers only the most common situations. All detail information is described in the user manual.

Viewing System Requirements

- Windows 2000,XP and VISTA operating systems
- Browser: Internet Explorer 6.0 or above

NOTE:

All the captured images of installation mentioned in this user manual were based on Windows VISTA operating system. For installation on other Windows OS, e.g. Windows XP, all the procedures remain the same.




Figure 1-1





Figure 1-2



Multi-Language
install wizard

Figure 1-3




Figure 2-1




Figure 2-2




Figure 2-3



Figure 2-4




Figure 2-5






Figure 2-6



Register name on Level1DNS service or skip to continue.

Figure 2-7



Register name on Level1DNS service or skip to continue.

Figure 2-8




Figure 2-9




Figure 2-10




Figure 3-1

Use el CD del software para configurar la cámara

- Encienda el PC e introduzca el CD-ROM.
- La página de instalación se cargará automáticamente. Si no lo hace, seleccione la unidad CD-ROM manualmente para abrir la página de instalación.
- Seleccione **“Install Software”**->**“Installation Wizard”** para iniciar la instalación. (Figura 1-1&1-2&1-3)
- Haga clic en **“Next”** para iniciar la instalación (Figura 2-1)
- Si desea instalar el programa en otra ubicación, pulse **“Browse”**, si no, pulse **“Install”** para continuar con la instalación. (Figura 2-2)
- Pulse **“Next”** para finalizar la instalación. (Figura 2-3)
- Ejecute **“EasyConfig Wizard”** (Figura 2-4)
- El **EasyConfig Wizard** de IP mostrará la Dirección MAC y la Dirección IP de las cámaras **LevelOne** disponibles. Resalte la dirección MAC y haga doble clic para enlazar con el dispositivo seleccionado. (Figura 2-5)
- El nombre de usuario predeterminado es **“admin”**, y la contraseña es **“admin”**.(Figure 2-6)
- Tras iniciar una sesión con éxito, aparecerá automáticamente la siguiente pantalla. Haga clic en **“Yes”** y continúe. (Figura 2-7&2-8)
- Enhorabuena, puede usar la cámara a través de la red para ver imágenes. (Figura 2-9&2-10)

Instalar IP CamSecure

Haga clic en **“IP CamSecure”**. Siga las instrucciones en pantalla o consulte el manual del usuario para completar la instalación.(Figura 3-1)